



Tee Line Model TL059 assembly pattern
at 9.25' center to center - 3.75' rough divider sections.



Frame parts required: 0" clips - 8; 6" TurfHound clips - 20;
Corners - 4; 33" straights - 24

Tee Line Model TL059 assembly pattern
@ 9'6" center to center - 49.5" rough divider sections.



Frame end cap assembly;


0 - 0" quick connects

1 - 33" straights

4 - 6" quick connects

1 - Right hand corner

1 - Left hand corner



Turf End Cap Assembly;

1 - 22.5" x 66" end caps

Fairway Stations Assembly;

2 - 33" x 66" fairway panels

Rough Section Assembly;

2 - 33" x 66" rough panels


Tee Line Model TL059 assembly pattern at 11' center to center - 66" rough divider sections.



↑
Hit direction


66" wide by 66" deep
Fairway grass for tee box

5'-9"



Frame end cap assembly;

- 0 - 0" quick connects
- 1 - 33" straights
- 4 - 6" quick connects
- 1 - Right hand corner
- 1 - Left hand corner



Turf End Cap Assembly;

- 1 - 22.5" x 66" end caps

Fairway Stations Assembly;

- 2 - 33" x 66" fairway panels

Rough Section Assembly;

- 2 - 33" x 66" rough panels

Tee Line Model TL076 assembly pattern at
10.1' center to center - 55.5" rough
sections. 66" FW stations. $55.5 + 66 = 121.5''$
on center.

Last frame section on right is 3 straights on odd numbered tee lines.
2.5 straights (need to cut a straight) for even numbered tee lines

